

# **Utah Weekly Pertussis Update**

2018 data, through MMWR week ending February 3, 2018 (MMWR week 5)


Data presented in this report are based on current data available and will be subject to change weekly.

## **Data Summary**

Total number of cases reported, 2018 year-to-date		Utah Incidence rate, 2018 year-to-date (YTD) per 100,000	
(YTD)	8	person-years	2.7
Total number of cases reported 2017	439	Utah Incidence rate, 2017 per 100,000 person-years	14.6
Number of cases reported in past week	0	National Incidence rate*, 2016 per 100,000 person-years.	4.7
Total number of cases reported, through same time			
period 2017	22	2018 Hospitalizations	0
	<1		
Age groups with the highest rates	5-14	2018 Cases in infants <1 year	2

<sup>\*</sup>National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

#### Number of cases reported by week



<sup>\*</sup>Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

#### 2018 Year-to-Date Incidence Rates, By Age

	2018	2016	
Age (years)	Cases	population	Rate*
<1	2	51,162	40.8
1-4	1	202,288	5.2
5-14	3	520,247	6.0
15-24	0	491,359	0.0
25-34	1	448,845	2.3
35-44	1	410,933	2.5
45-54	0	314,060	0.0
55-64	0	291,159	0.0
65+	0	321,164	0.0
Unknown	0	-	-
Total	8	3,051,217	2.7

<sup>\*</sup> Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

### School Age Incidence Rates, 2018 Year-to-Date

	Age		2016	
Grade	(years)	<b>2018 Cases</b>	Population	Rate*
Preschool	3-4	0	100,804	0.0
Kindergarten	5	0	50,541	0.0
1	6	0	52,444	0.0
2	7	0	52,797	0.0
3	8	0	53,837	0.0
4	9	1	53,515	19.5
5	10	1	52,433	19.9
6	11	0	52,420	0.0
7	12	1	51,616	20.2
8	13	0	51,136	0.0
9	14	0	49,508	0.0
10	15	0	49,763	0.0
11	16	0	49,882	0.0
12	17	0	48,431	0.0

<sup>\*</sup> Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

## Utah Case Counts of Pertussis, 2013-2018\* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

<sup>\* 2018</sup> data includes pertussis cases reported year to date. 2013-2017 data reflects cases reported during the entire calendar year for each year.



# Incidence of pertussis by Local Health Department, 2018 YTD

Local Health Department	2018 Cases	Rate*
Bear River	1	5.9
Central Utah	0	0.0
Davis County	3	9.1
Salt Lake County	1	0.9
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	0	0.0
Summit County	0	0.0
Tooele County	0	0.0
TriCounty	0	0.0
Utah County	1	1.8
Wasatch County	1	34.2
Weber-Morgan	1	4.0

<sup>\*</sup> Rate is calculated per 100,000 person-years using 2015 Utah population estimates.

